

# PRODUCT DATASHEET Ceiling Essential 250mm E27

Essential Ceiling E27 | Essential Ceiling Luminaire for basic user purpose with E27 socket



### Areas of application

- Living areas

#### **Product benefits**

- Simple installation thanks to light-weight design
- Decorative wall light

#### Product features

- Wall and ceiling luminaire with E27 socket




# TECHNICAL DATA

# Electrical data

Nominal voltage	220240 V
Mains frequency	5060 Hz
Protection class	1
Operating mode	Mains voltage

# Dimensions & Weight

Diameter	250.00 mm
Height	91.00 mm
Product weight	305.00 g



CEILING ESSENTIAL 25CM

# Materials & Colors

Product color	White
Housing color	White
Body material	Metal
Cover material	Polymethylmethacrylate (PMMA)
Glow Wire Test according to IEC 60695-2-12	650 °C
Mercury content	0.0 mg

# Application & Mounting

Ambient temperature range	-20+40 °C
Temperature range at storage	-20+80 °C
Type of connection	Terminal, 3-Pole (L, N, PE)
Type of protection	IP20

Protection class IK (shock resistance)	IK03
Dimmable	No
Mounting type	Surface
Application environment	Indoor
Adjustable	No
With light source	No
Replaceable light source	No
Holder designation	E27

#### Certificates & Standards

Standards	CE / UKCA
Luminaire with limited surface temperature, "D sign"	No
Ball shot safe	No

## Additional product data

Product remark	Maximum bulb wattage: 25 W (10 LED)
Number of illuminants	1

#### **EQUIPMENT / ACCESSORIES**

- Mounting screws and dowels included

## Safety advice

- All electrical connections must be made by a qualified person.
- Caution, risk of electric shock.
- Product in protection class I. All electrically conductive, metallic housing parts that can absorb voltage during operation or during maintenance in the event of a fault must be continuously connected to the protective earthing conductor.
- Check wall-ceiling for suitability. If uncertain, seek professional advice.

## DOWNLOAD DATA

Documents and certificates Document name		Document name	
User instruction / safety instructions CEILING ESS		CEILING ESSENTIAL	
Legal information		Safety insert G11219578	
Declarations of conformity  CE Declaration Ceiling Essential		CE Declaration Ceiling Essential	

	Documents and certificates	Document name
PDF	Declarations of conformity UKCA	UKCA Declaration Ceiling Essential

#### LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854444609	Folding box	98 mm x 280 mm x 282 mm	620.00 g	7.74 dm <sup>3</sup>
4099854444616	Shipping box 5	510 mm x 292 mm x 305 mm	3100.00 g	45.42 dm <sup>3</sup>

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

## **DISCLAIMER**

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.