


PRODUCT DATASHEET SMART WIFI CORNER TABLE Magic RGB Silver Remote Control

SMART WIFI TABLE CORNER | Smart and modern Table luminaire for indirect illumination with WiFi technology



Areas of application

- Living areas (living rooms, dining rooms, bedrooms etc.)
- Gaming and Entertainment Areas

Product benefits

- MAGIC RGB Color Control for maximum flexible selection

Product features

- RGB color control



TECHNICAL DATA

Electrical data


Nominal wattage	7.50 W	
Nominal voltage	220240 V	
Mains frequency	5060 Hz	
Nominal current	60.000 mA	
Power factor λ	> 0.5	
Total harmonic distortion	< 130 %	
Protection class	П	

Photometrical data

Luminous flux	500 lm	
Total luminous flux of contained light sources	580 lm	
Luminous efficacy	67 lm/W	
Color temperature	27006500 K	
Light color (designation)	Tunable White / Red / Green / Blue	
Color rendering index Ra	> 80	
Standard deviation of color matching	< 6 sdcm	
Photobiological safety group acc. to EN62778	RG1	
Photobiological safety group acc. to EN62471	RG1	
Beam angle	120 °	

Dimensions & Weight

Length	129.00 mm
Width	129.00 mm
Height	425.00 mm
Product weight	490.00 g



Materials & Colors

Product color	Silver
Housing color	Silver
Body material	Aluminum
Glow Wire Test according to IEC 60695-2-12	650 °C

Application & Mounting

Ambient temperature range	-20+40 °C	
Temperature range at storage	-20+80 °C	
Type of connection	Plug type C (EU)	
Type of protection	IP20	
Dimmable	Yes	
Mounting type	Surface	
Adjustable	No	
With light source	Yes	

Lifespan

Lifespan L70/B50 at 25 °C	30000 h
Number of switching cycles	10000

BATTERY

Type of Battery	Li metal button cell battery	
Battery size [GMS]	CR2025	
Nominal voltage of battery	3 V	

Certificates & Standards

Standards	
-----------	--

Safety advice

- To reduce the risk of strangulation the flexible wiring connected to this luminaire shall be effectively fixed to the wall if the wiring is within arm's reach.
- Battery Warning: Keep out of reach for children. Swallowing can lead to chemical burns, perforation of soft tissue, and death. Severe burns can
 occur within 2 hours of ingestion. Seek medical attention immediately.
- If the battery compartment (if applicable) does not close securely, stop using the product and keep it away from children. If you think batteries might have been swallowed or placed inside any part of the body, seek immediate medical attention.
- Please avoid: Maximal ambient temperature: +35 °C. Replacement of a battery with an incorrect type that can defeat safeguard (for example, in
 the case of some lithium battery types). Altitude during operation: 2000 m. Disposal of a battery into fire or a hot oven, or mechanically crushing or
 cutting of a battery, that can result in an explosion.

DOWNLOAD DATA

	Documents and certificates	Document name	
POF	User instruction / safety instructions	SMART+ WIFI CORNER	
POF	Legal information	Safety insert G11222392	
POF	Declarations of conformity	CE declaration Smart CORNER TABLE RGBTW	
POF	EU Data Act	SMART WiFi Lamps and Luminaires	

LOGISTICAL DATA

Product code	Packaging unit (Pieces/Unit)	Dimensions (length x width x height)	Gross weight	Volume
4099854471810	Folding box 1	92 mm x 92 mm x 438 mm	592.00 g	3.71 dm ³
4099854471827	Shipping box	454 mm x 200 mm x 209 mm	2806.00 g	18.98 dm ³

The mentioned product code describes the smallest quantity unit which can be ordered. One shipping unit can contain one or more single products. When placing an order, for the quantity please enter single or multiples of a shipping unit.

DISCLAIMER

Subject to change without notice. Errors and omission excepted. Always make sure to use the most recent release.